

Documents

Export Date: 10 May 2019

Search: (AF-ID("Universidad César Vallejo" 60105306))

- 1) (2013) Global Tuberculosis Report. Cited 1056 times.

Source: Scopus

- 2) (2013) Tuberculosis Country Profiles. Cited 172 times.

Source: Scopus

Ministerio de Salud. Situación de la TBC en el Perú: Normatividad, cobertura, casos y esquema de tratamiento. Lima: Ministerio de Salud

- 3) (2018). Cited 1 time.

Source: Scopus

- 4) Bonilla, C.

Situación de la tuberculosis en el Perú

(2008) Acta Med Peru, 25 (3), pp. 163-170. Cited 31 times.

Source: Scopus

- 5) Caminero Luna, J.A.

Origen, presente y futuro de las resistencias en tuberculosis

(2001) Archivos de Bronconeumología, 37 (1), pp. 35-42. Cited 14 times.

DOI: 10.1016/S0300-2896(01)75005-3

Source: Scopus

- 6) Rieder, H.L.

(1999) Bases Epidemiológicas Del Control De La Tuberculosis. Cited 13 times.

Source: Scopus

- 7) Farga, V., Torres, Z., Herrera, M.

Perfil de pacientes con tuberculosis que abandona el tratamiento en Chile

(2019) Rev Chil Enf Respir, 2015 (31), pp. 52-57. Cited 2 times.

Source: Scopus

- 8) Brito, D., Sales, M., Silva, M., Silva, S., Gomez, L., Souza, V.
Fatores de adesao e risco de abandono ao tratamento
(0000) R Interd, 2015 (8), pp. 169-179. Cited 1 time.

Source: Scopus

- 9) Culqui, D.R., Munayco E., C.V., Grijalva, C.G., Cayla, J.A., Horna-Campos, O., Alva Ch., K., Suarez O., L.A.
Factors Associated With the Non-Completion of Conventional Anti-Tuberculosis Treatment in Peru
[Article@Factores asociados al abandono de tratamiento antituberculoso convencional en Perú]
(2012) Archivos de Bronconeumologia, 48 (5), pp. 150-155. Cited 10 times.

DOI: 10.1016/j.arbres.2011.12.008

Source: Scopus

Ministerio de Salud. Norma técnica de salud para la atención integral de las personas afectadas por tuberculosis

- 10) (0000) 2013. Cited 1 time.

Source: Scopus

- 11) Silva, P.F., Moura, G.S., Caldas, A.J.M.
Factors associated with pulmonary TB treatment dropout in Maranhão State, Brazil, from 2001 to 2010 [Article@Fatores associados ao abandono do tratamento da tuberculose pulmonar no Maranhão, Brasil, no período de 2001 a 2010]
(2014) Cadernos de Saude Publica, 30 (8), pp. 1745-1754. Cited 14 times.

DOI: 10.1590/0102-311X00124513

Access Type: Open Access

Source: Scopus

- 12) Calsin, N., Horner, B.
Fatores associados ao abandon do tratamiento tuberculose: Uma revisao integrative
(0000) Texto Contexto Enferm, 2011 (20), pp. 599-606. Cited 1 time.

Source: Scopus

- 13) Mitnick, C., Bayona, J., Palacios, E., Shin, S., Furin, J., Alcántara, F., Sánchez, E., Sarria, M., Becerra, M., Smith Fawzi, M.C., Kapiga, S., Neuberg, D., Maguire, J.H., Kim, J.Y., Farmer, P.
Community-based therapy for multidrug-resistant tuberculosis in Lima, Peru
(2003) New England Journal of Medicine, 348 (2), pp. 119-128. Cited 406 times.

DOI: 10.1056/NEJMoa022928

Source: Scopus

- 14) Comolet, T.M., Rakotomalala, R., Rajaonarioa, H.
Factors determining compliance with tuberculosis treatment in an urban environment, Tamatave, Madagascar
(1998) International Journal of Tuberculosis and Lung Disease, 2 (11), pp. 891-897. Cited 75 times.

Source: Scopus

- 15) Gelmanova, I.Y., Keshavjee, S., Golubchikova, V.T., Berezina, V.I., Strelis, A.K., Yanova, G.V., Atwood, S., Murray, M.
Barriers to successful tuberculosis treatment in Tomsk, Russian Federation: Non-adherence, default and the acquisition of multidrug resistance
(2007) Bulletin of the World Health Organization, 85 (9), pp. 703-711. Cited 95 times.

DOI: 10.2471/BLT.06.038331

Access Type: Open Access

Source: Scopus

- 16) Soza Pineda, N.I., Pereira, S.M., Barreto, M.L.
Dropout from tuberculosis treatment in Nicaragua: The results of a comparative study [Article@Abandono del tratamiento de la tuberculosis en Nicaragua: Resultados de un estudio comparativo]
(2005) Revista Panamericana de Salud Publica/Pan American Journal of Public Health, 17 (4), pp. 271-278. Cited 11 times.

Source: Scopus

- 17) Arrossi, S., Herrero, M.B., Greco, A., Ramos, S.
Factores asociados a la no adherencia al tratamiento de la tuberculosis: Revisión de la literatura
(2011) Factores Asociados A la No-adherencia Al Tratamiento de la Tuberculosis: Revisión de la Literatura. Cited 2 times.

Source: Scopus

- 18) Sanchez-Padilla, E., Marquer, C., Kalon, S., Qayyum, S., Hayrapetyan, A., Varaine, F., Bastard, M., Bonnet, M.
Reasons for defaulting from drug-resistant tuberculosis treatment in Armenia: A quantitative and qualitative study
(2014) International Journal of Tuberculosis and Lung Disease, 18 (2), pp. 160-167. Cited 20 times.

DOI: 10.5588/ijtld.13.0369

Source: Scopus

- 19) Toczek, A., Cox, H., Du Cros, P., Cooke, G., Ford, N.
Strategies for reducing treatment default in drug-resistant tuberculosis: Systematic review and meta-analysis
(2013) International Journal of Tuberculosis and Lung Disease, 17 (3), pp. 299-307. Cited 90 times.
DOI: 10.5588/ijtld.12.0537

Source: Scopus

- 20) De Seixas Maciel, E.M.G., De Souza Amancio, J., De Castro, D.B., Braga, J.U.
Social determinants of pulmonary tuberculosis treatment non-adherence in Rio de Janeiro, Brazil
(2018) PLoS ONE, 13 (1), art. no. e0190578, . Cited 2 times.
DOI: 10.1371/journal.pone.0190578

Access Type: Open Access

Source: Scopus

- 21) Sobral, F.A.F.
Educação para a competitividade ou para a cidadania social?
(2000) Sao Paulo Perspec, 14 (1), pp. 3-11. Cited 5 times.
Source: Scopus

- 22) Vijay, S., Kumar, P., Chauhan, L.S., Vollepore, B.H., Kizhakkethil, U.P., Rao, S.G.
Risk factors associated with default among new smear positive TB patients treated under DOTS in India
(2010) PLoS ONE, 5 (4), art. no. e10043, . Cited 47 times.
DOI: 10.1371/journal.pone.0010043

Access Type: Open Access

Source: Scopus

- 23) Dick, J., Lombard, C.
Shared vision - A health education project designed to enhance adherence to anti-tuberculosis treatment
(1997) International Journal of Tuberculosis and Lung Disease, 1 (2), pp. 181-186. Cited 34 times.
Source: Scopus

- 24) Comolet, T.M., Rakotomalala, R., Rajaonarioa, H.
Factors determining compliance with tuberculosis treatment in an urban environment, Tamatave, Madagascar
(1998) International Journal of Tuberculosis and Lung Disease, 2 (11), pp. 891-897. Cited 75 times.
Source: Scopus
- 25) Sabates, R., Feinstein, L.
The role of education in the uptake of preventative health care: The case of cervical screening in Britain
(2006) Social Science and Medicine, 62 (12), pp. 2998-3010. Cited 93 times.
DOI: 10.1016/j.socscimed.2005.11.032
Source: Scopus
- 26) Primera Conferencia Ministerial Mundial. [Fecha de consulta: 20 de octubre de 2018]. Disponible en (0000). Cited 1 time.
Source: Scopus
- 27) Laframboise, H.L.
Health policy: breaking the problem down into more manageable segments.
(1973) Canadian Medical Association journal, 108 (3), pp. 388-391 passim. Cited 41 times.
Source: Scopus
- 28) Lalonde, M.
(1974) A New Perspective on the Health of Canadians. Cited 1182 times.
Source: Scopus
- 29) Leimane, V., Riekstina, V., Holtz, T.H., Zarovska, E., Skripconoka, V., Thorpe, L.E., Laserson, K.F., Wells, C.D.
Clinical outcome of individualised treatment of multidrug-resistant tuberculosis in Latvia: A retrospective cohort study
(2005) Lancet, 365 (9456), pp. 318-326. Cited 227 times.
DOI: 10.1016/S0140-6736(05)70196-3
Source: Scopus
- 30) Alvarez-Gordillo, G.D.C., Alvarez-Gordillo, J.F., Dorantes-Jiménez, J.E., Halperin-Frisch, D.
Perceptions and practices of tuberculosis patients and non-adherence to therapy in Chiapas, Mexico

[Article@Percepciones y prácticas relacionadas con la tuberculosis y la adherencia al tratamiento en Chiapas, México]

(2000) Salud Publica de Mexico, 42 (6), pp. 520-528. Cited 36 times.

DOI: 10.1590/S0036-36342000000600008

Access Type: Open Access

Source: Scopus

- 31) Deshmukh, R.D., Dhande, D.J., Sachdeva, K.S., Sreenivas, A.N., Kumar, A.M.V., Parmar, M.

Social support a key factor for adherence to multidrug-resistant tuberculosis treatment

(2018) Indian Journal of Tuberculosis, 65 (1), pp. 41-47. Cited 3 times.

DOI: 10.1016/j.ijtb.2017.05.003

Source: Scopus

- 32) Barnhoorn, F., Adriaanse, H.

In search of factors responsible for noncompliance among tuberculosis patients in Wardha District, India

(1992) Social Science and Medicine, 34 (3), pp. 291-306. Cited 140 times.

DOI: 10.1016/0277-9536(92)90271-Q

Source: Scopus

- 33) Jakubowiak, W.M., Bogorodskaya, E.M., Borisov, E.S., Danilova, D.I., Kourbatova, E.K.

Risk factors associated with default among new pulmonary TB patients and social support in six Russian regions

(2007) International Journal of Tuberculosis and Lung Disease, 11 (1), pp. 46-53. Cited 83 times.

Source: Scopus

- 34) Sengupta, S., Pungrassami, P., Balthip, Q., Strauss, R., Kasetjaroen, Y., Chongsuvivatwong, V., Van Rie, A.

Social impact of tuberculosis in southern Thailand: Views from patients, care providers and the community

(2006) International Journal of Tuberculosis and Lung Disease, 10 (9), pp. 1008-1012. Cited 32

times.

Source: Scopus

- 35) Ananthakrishnan, R., Jeyaraj, A., Palani, G., Sathyasekaran, B.W.C.

Socioeconomic impact of TB on patients registered within RNTCP and their families in the year 2007

in Chennai, India

(2012) Lung India, 29 (3), pp. 221-226. Cited 5 times.

DOI: 10.4103/0970-2113.99103

Access Type: Open Access

Source: Scopus

36) Kaulagekar-Nagarkar, A., Dhake, D., Jha, P.

Perspective of tuberculosis patients on family support and care in rural Maharashtra

(2012) Indian Journal of Tuberculosis, 59 (4), pp. 224-230. Cited 5 times.

Source: Scopus

37) Wendling, A.P.B., Modena, C.M., Schall, V.T.

Abandonment of tuberculosis treatment in the perspective of health centers managers in Belo Horizonte-MG, Brazil [Article@O abandono do tratamento da tuberculose sob a perspectiva dos gerentes de diferentes centros de saúde de Belo Horizonte-MG, Brasil]

(2012) Texto e Contexto Enfermagem, 21 (1), pp. 77-85. Cited 2 times.

DOI: 10.1590/S0104-07072012000100009

Access Type: Open Access

Source: Scopus